

HCCGZB24025

2024 4 18

2024 4 25

.....	3
.....	4-8
.....	9
.....	10
.....	11-18

1. HCCGZB24025

2.

3

3.

	()		+	
	25KG/	KG	350	COD 10000mg/L, 1.00MM 2.0KG/
	25KG/	KG	20	1.00MM 4.0KG/
	25KG/	KG	400	1.00MM 4.0KG/

4. 2024 4 18 2024 4 25
08 00 12 00 13 30 18 00

5.

RMB 100 /

6.

1 **** 2
13825574588

9550 8800 4180 7900 181

7. 2024 4 25 18 00

8.

:

73

9.

<http://www.huachang-alu.com>

1.

	<p style="text-align: right;">73</p> <p style="text-align: center;">- 25 -</p> <p style="text-align: center;">13825574588 13580455827</p> <p style="text-align: center;">13927750023 0757- 81827052</p>
	<hr/> <hr/> <hr/> <hr/>
	<p>1</p> <p>2</p> <p>3</p> <p style="text-align: right;">: _</p> <p style="text-align: center;">9550 8800 4180 7900 181</p>

	73
	-25 -
	<input type="checkbox"/>
	1 2 3
	1 2 3 4
	<input type="checkbox"/>

1.

1

2

3

4

2

3.

4.

5.

6.

1

2

1.

2.

3.

1-2

3.

24

48

4.


5.

1

2

6.

7.



1.

2

ISO

M&DS

3.

4.

5.

6.

7.

8.

9.

10.

1.

:

2

20000

3

4

5

	()		(/KG)	
	25KG/	KG		COD 100000mg/L, 1.00MM 2.0KG/
	25KG/	KG		1.00MM 4.0KG/
	25KG/	KG		1.00MM 4.0KG/
1	13%			
2				():

